



Metal Steel PPGI Electric Hydraulic Decoiler Machine With Loading Cart

Our Product Introduction

for more products please visit us on roll-formermachines.com

Basic Information

- Place of Origin: Zhejiang, China
- Brand Name: Hangzhou Maxwell
- Certification: CE, ISO9001
- Model Number: Decoiler
- Minimum Order Quantity: 1 SET
- Price: USD5,000-USD10,000
- Packaging Details: Nude Packaging in a 40 feet container
- Delivery Time: 60 work days
- Payment Terms: T/T, , L/C
- Supply Ability: 30 sets per month



Product Specification

- Name: R Metal Steel PPGI Electric Hydraulic Decoiler With Loading Cart
- Type: Hydraulic Decoiler
- Tile Type: Colored Glazed Steel
- Production Capacity: 0-40m/min, Match With The Roll Forming Machine
- Warranty: 1 Year
- Core Components: PLC, Engine, Bearing, Motor, Pressure Vessel, Gear, Pump
- Voltage: 380V, 50HZ, 3PH (Or As Customers' Request)
- Raw Material: PPGI, PPGI, AI
- Highlight: **Metal Steel Hydraulic Decoiler, Electric Hydraulic Decoiler, Hydraulic Decoiler Machine**




More Images



Product Description

Hydraulic Decoiler Metal Steel PPGI Electric Hydraulic Decoiler With Loading Cart



Full Automatic Metal Steel Hydraulic Decoiler With Loading Cart

| | |
|------------------|---|
| Raw material | PPGI, PPGI, Al |
| Main Body | Coil Width:900-1250mm Customized As Request |
| | Capacity:5 tons |
| | Hydraulic Power:4kw |
| | Motor Power:5.5kw |
| Press Arm | To Keep The Coil From Loosing |
| Braking System | Pneumatic |
| Voltage | 480v 50hz 3phase(Provide Customized) |
| Forming Speed | 0-40m/Min, Match With The Main roll forming Machine |
| Electrical Parts | Schneider |
| Expanding Device | Four Arms Expanding The Device With A Sliding Block Can Provide More Powerful Force To Fixing The Coil, The Synchronous Action Can Avoid The Deformation Of The Coil. The Block Installed On The Arms Can Suit The Coils With A Bigger Inner Diameter |

15 Tons Hydraulic Decoiler



Double-head Hydraulic Decoiler



Packaging and Shipping


1. Anti-corrosion oil is sprayed during transportation to prevent oxidation of the machine
2. Packaging isolation film to prevent machine oxidation during transportation
3. Fixed on the container with wire to prevent damage to the machine during transportation




After-sales Service

1. Technical Support: Our experienced technical team can assist and guide product installation, operation, and maintenance.
2. Spare Parts Supply: We maintain a stock of genuine spare parts to solve equipment issues and quickly minimize downtime.
3. Training Programs: We offer training programs for your staff to ensure they are proficient in using and maintaining our equipment effectively.
4. Warranty Coverage: The warranty is one year after the client receives the machine. All our products come with a warranty period, during which we provide prompt repair or replacement services for any defects covered under the warranty terms.
5. Regular Maintenance: We recommend and offer scheduled maintenance services to keep your equipment in optimal condition and maximize its lifespan.
6. Customer Feedback: We value your feedback and continuously strive to improve our products and services based on your input.

 **Maxwell** Hangzhou Maxwell Machinery Equipment Manufacturing Co., Ltd

 0086-19560190257

 info@hzmaxwellmachine.com

 roll-formermachines.com

Building 2, No.6, Zhuluo East Road, Linpu Town, Xiaoshan District, Hangzhou City, Zhejiang Province