

0.3-0.8mm Thickness Roll Former Machines For Roofing / Wall Cladding 50Hz Frequency

Basic Information

• Place of Origin: Zhejiang,China • Brand Name: Hangzhou Maxwell CE,ISO9001 · Certification: • Model Number: Roof Panel

Quantity:

• Minimum Order

1 Set

USD12000--USD30000 • Price:

· Packaging Details: Nude Packing In a 40 Feet Container

• Delivery Time: 60 workdays • Payment Terms: T/T;L/C

· Supply Ability: 30 Set per Mon



Product Specification

· Application: Roofing And Wall Cladding

• Thickness: 0.3-0.8mm • Warranty: 1 Year • Cutting Type: Hydraulic • Control System: PLC · Voltage: 220V • Rolling Speed: 10-15m/min

• Frequency: 50Hz

• Highlight: 0.8mm Thickness Roll Former Machines,

0.3mm Thickness Roll Former Machines, Roofing Roll Forming Machine 50Hz



More Images





Product Description

0.3-0.8mm Thickness Roll Former Machines For Roofing And Wall Cladding 50Hz Frequency

Product Description:

Our roll former machines are built with the latest technology and come equipped with a state-of-the-art control system powered by a PLC. This ensures that our machines are both easy to use and highly accurate, guaranteeing consistent results with every use.

With an electric power source, our roll former machines are not only highly efficient, but also environmentally friendly. Our machines are designed to run smoothly and quietly, minimizing energy consumption and reducing noise pollution.

Made from high-quality steel, our roll former machines are built to last. They are designed to withstand the rigors of constant use and are resistant to wear and tear. Our machines are built to meet the highest standards of quality and durability, making them the perfect choice for any roofing or cladding project.

With a rolling speed of 10-15m/min, our roll former machines are capable of producing high-quality corrugated sheets quickly and efficiently. This makes them the ideal choice for any roofing or cladding project, no matter how big or small.

Our roll former machines are designed to operate on a standard voltage of 220V, making them easy to integrate into any existing system. They are simple to set up and easy to use, making them the perfect choice for any roofing or cladding project.

So if you're looking for a reliable and efficient steel roofing roll former, look no further than our range of corrugated sheet roll forming mills. With cutting-edge technology, high-quality materials, and a commitment to customer satisfaction, we are the perfect choice for all your roofing and cladding needs.



Features:

Product Name: Roll Former Machines

Rolling Speed: 10-15m/min

Voltage: 220V Control System: PLC Thickness: 0.3-0.8mm Warranty: 1 Year

This Roll Former Machines product is perfect for producing corrugated sheet roll forming mill with ease and efficiency.



Technical Parameters:

Cutting Type	Hydraulic
Thickness	0.3-0.8mm
Warranty	1 Year
Rolling Speed	10-15m/min
Power Source	Electric
Frequency	50Hz
Voltage	220V
Control System	PLC
Application	Roofing And Wall Cladding
Material	Steel

This steel roofing roll former machine is an ideal wall panel roll forming unit for producing corrugated sheet roll forming mill. It comes with a hydraulic cutting type, thickness of 0.3-0.8mm, and a rolling speed of 10-15m/min. It is powered by electricity with a frequency of 50Hz and a voltage of 220V. It has a PLC control system and comes with a 1-year warranty.







Applications:

Our roll former machines are powered by electricity and come with a hydraulic cutting type. They are equipped with a PLC control system and operate at a frequency of 50Hz. These machines are designed to meet the demands of various industries and can be used for a range of applications.

The steel roofing roll former is ideal for manufacturers producing roofing sheets for residential and commercial buildings. It is perfect for creating customized roofing solutions in various shapes and sizes. The wall panel roll forming unit is suitable for manufacturers producing cladding sheets for walls, partitions or ceilings. The corrugated sheet roll forming mill is perfect for creating corrugated sheets of different shapes and sizes for use in the construction industry.

Our roll former machines are designed to be durable and efficient, ensuring that our customers get the best value for their money. They are easy to operate and maintain, making them ideal for small and medium-sized businesses. With our roll former machines, customers

can increase their productivity and efficiency, and create high-quality products that meet the demands of their customers.

Support and Services:

Our Roll Former Machines come with comprehensive technical support and services to ensure optimal performance and longevity. Our team of experts is available to assist with any technical issues or questions you may have regarding the operation, maintenance, and repair of your machine.

In addition to technical support, we also offer a range of services to help you get the most out of your Roll Former Machine. This includes installation and setup, training for your operators, and regular maintenance and servicing to keep your machine running smoothly and

Our goal is to provide our customers with the highest level of support and service possible, so you can rely on your Roll Former Machine to deliver consistent, high-quality results for years to come.

Packing and Shipping:

Product Packaging:

All machines will be securely packaged in wooden crates to prevent damage during shipping.

Each machine will be labeled with its serial number and specifications for easy identification.

Shipping:

Roll Former Machines offers worldwide shipping using reliable and reputable carriers.

Customers can choose their preferred shipping method and receive a tracking number to monitor the delivery status.

Shipping costs will vary depending on the destination and shipping method selected.

Maxwell Hangzhou Maxwell Machinery Equipment Manufacturing Co., Ltd



0086-19560190257





c roll-formermachines.com

Building 2, No.6, Zhuluo East Road, Linpu Town, Xiaoshan District, Hangzhou City, Zhejiang Province