

Fully Automatic Hydraulic Decoiler 1250mm Feeding Vertical Drive With Digital Display

Our Product Introduction

For more products please visit us on roll-formermachines.com

Basic Information

- Place of Origin: Zhejiang, China
- Brand Name: Hangzhou Maxwell
- Certification: CE, ISO9001
- Model Number: Decolier
- Minimum Order Quantity: 1 Set
- Price: USD8000-USD18000
- Packaging Details: Nude Packing In a 40 Feet Container
- Delivery Time: 60 workdays
- Payment Terms: T/T; L/C
- Supply Ability: 100 Set per Mon



Product Specification

- Core Components: Motor, Pump, Other
- Drive: It Is Driven Vertically By Hydraulic Cylinder With Four Guide Pillars.
- Warranty: 1 Year
- Frequency: 50Hz
- Usage: Uncoil
- Display: Digital
- Operate Style: Fully Automatic
- Feeding Width: 1250mm
- Highlight: Fully Automatic Hydraulic Decoiler,
Hydraulic Decoiler 1250mm Feeding,
Hydraulic Decoiler Vertical Drive



More Images



Product Description

Fully Automatic Hydraulic Decoiler 1250mm Feeding Vertical Drive With Digital Display

Product Description:

The Auxiliary Equipment is ideal for uncoiling materials and is driven vertically by a hydraulic cylinder with four guide pillars. This feature makes it stand out from other similar products on the market such as electric decoilers.

One of the key selling points of our Auxiliary Equipment is how easy it is to operate. The digital display provides clear and concise instructions, ensuring that even beginners can use it with ease. This feature makes it a great choice for those who need to get the job done quickly and efficiently.

Our Hydraulic Decoiler is the perfect tool for uncoiling materials. It is designed to make the process fast and easy, saving you time and effort. The Hydraulic Decoiler is a great choice for those who need to uncoil a lot of materials regularly, as it is designed to handle heavy loads.

Overall, our Auxiliary Equipment is an excellent investment for anyone who needs to uncoil materials quickly and efficiently. With its 1-year warranty, easy-to-use digital display, and hydraulic decoiler, it is sure to provide you with the results you need.





Features:

Product Name: Fully Automatic Hydraulic Decoiler

Machine Type: Steel/PPGI/zinc

Usage: Uncoil

Drive: It Is Driven Vertically By Hydraulic Cylinder With Four Guide Pillars.

Frequency: 50Hz

Feeding Width: 1250mm

Electric Decoiler

Electric Decoiler

Electric Decoiler



Technical Parameters:

Operate Style	Fully Automatic
Machine Type	Steel/PPGI/zinc
Feeding Width	1250mm
Display	Digital
Usage	Uncoil
Core Components	Motor, Pump, Other
Frequency	50Hz
Key Selling Points	Easy To Operate
Drive	It Is Driven Vertically By a Hydraulic Cylinder With Four Guide Pillars.
Voltage	220V



Applications:

One of the key selling points of this product is its ease of operation. The digital display makes it simple to use, even for those who have no prior experience with auxiliary equipment. It is also available in multiple machine types, including steel, PPGL, and zinc, which makes it versatile enough to be used in a wide range of industries. The Hangzhou Maxwell Auxiliary Equipment is also highly durable, thanks to its sturdy construction and high-quality materials. It is designed to withstand even the most demanding industrial environments, and it comes with a one-year warranty for added peace of mind. When it comes to specific application occasions and scenarios, the Hydraulic Decoiler is ideal for those who need to unw

Support and Services:

The Auxiliary Equipment product technical support and services include:

[Installation guidance](#)

[Equipment troubleshooting and repair](#)

[Equipment maintenance and cleaning instructions](#)

[Parts and accessories ordering and replacement](#)

[Training and educational resources](#)

[General product inquiries and support](#)

 **Maxwell** Hangzhou Maxwell Machinery Equipment Manufacturing Co., Ltd

 0086-19560190257

 info@hzmaxwellmachine.com

 roll-formermachines.com

Building 2, No.6, Zhuluo East Road, Linpu Town, Xiaoshan District, Hangzhou City, Zhejiang Province