Our Product Introduction

r more products please visit us on roll-formermachines.com

1250mm Feeding Auxiliary Equipment Fully Automatic Uncoiling Machine **Easy Operation**

Basic Information

- Place of Origin:
- Brand Name:
- Certification: CE,ISO9001
- Model Number: Decolier
- Minimum Order Quantity:
- USD5000-USD15000 • Price:
- Packaging Details: Nude Packing In a 40 Feet Container

100 Set per Mon

1 Set

Zhejiang, China

Hangzhou Maxwell

- 60 workdays • Delivery Time:
- Payment Terms: T/T;L/C
- Supply Ability:



Product Specification

• Usage:	Uncoil
Operate Style:	Fully Automatic
• Frequency:	50Hz
Core Components:	Motor, Pump, Other
Feeding Width:	1250mm
 Key Selling Points: 	Easy To Operate
• Drive:	It Is Driven Vertically By Hydraulic Cylinder With Four Guide Pillars.
Warranty:	1 Year
• Highlight:	1250mm Feeding Auxiliary Equipment, Fully Automatic Uncoiling Machine, Uncoiling Machine Easy Operation



More Images





Product Description

1250mm Feeding Auxiliary Equipment Fully Automatic Uncoiling Machine With Easy Operation

Product Description:

Our fully automatic machines are easy to operate, allowing your team to focus on other important tasks in your production facility. Choose from an electric decoiler or a hydraulic decoiler, depending on your specific needs and preferences. Our hydraulic decoiler is particularly popular, thanks to its reliable performance and easy maintenance.

When you invest in our auxiliary equipment, you can rest assured that you are getting a high-quality product that is built to last. We stand behind our machines with a 1-year warranty, giving you peace of mind and protecting your investment. Whether you need to produce steel products for construction, manufacturing, or other applications, our auxiliary equipment can help you get the job done quickly, efficiently, and cost-effectively.



Features:

Product Name: Fully Automatic Uncoiling MachineDisplay: DigitalMachine Type: Steel/PPGI/zincUsage: UncoilFeeding Width: 1250mmCore Components:MotorPumpOtherAvailable Types:Hydraulic DecoilerElectric DecoilerHydraulic Decoiler



Technical Parameters:

Core Components	Motor, Pump, Other
Usage	Uncoil
Voltage	220V
Drive	It Is Driven Vertically By Hydraulic Cylinder With Four Guide Pillars.
Warranty	1 Year
Feeding Width	1250mm
Frequency	50Hz
Operate Style	Fully Automatic
Machine Type	Steel/PPGI/zinc
Key Selling Points	Easy To Operate



Applications:

The hydraulic decoiler is a type of auxiliary equipment that is driven vertically by a hydraulic cylinder with four guide pillars. It is fully automatic in operation, making it easy to use and efficient in function. The feeding width of the hydraulic decoiler is 1250mm, and it is suitable for use with steel, PPGI, and zinc materials. The hydraulic decoiler is ideal for uncoiling materials and is commonly used in the construction, automotive, and manufacturing industries.

The electric decoiler is another type of auxiliary equipment that is used for uncoiling materials. It is powered by electricity and is suitable for use with a wide range of materials, including steel, aluminum, and copper. The electric decoiler is easy to operate and provides efficient and reliable performance. It is commonly used in the roofing, construction, and automotive industries.

The hydraulic decoiler and electric decoiler are versatile and can be used in different applications and scenarios. They are ideal for use in industrial settings that require the uncoiling of materials, such as metal sheets, coils, and strips. The hydraulic decoiler and electric decoiler are also suitable for use in manufacturing settings, where precision and efficiency are critical. In summary, the hydraulic decoiler and electric decoiler are essential auxiliary equipment for different industrial needs and should be part of any manufacturing or construction setup.

Customization:

Hangzhou Maxwell Auxiliary Equipment: Brand Name: Hangzhou Maxwell Place of Origin: Zhejiang.China Certification: CE.ISO9001 Minimum Order Quantity: 1 Set Packaging Details: Nude Packing In a 40 Feet Container Delivery Time: 60 workdays Payment Terms: T/T;L/C Supply Ability: 100 Set per Month Usage: Uncoil Key Selling Points: Easy To Operate Frequency: 50Hz Core Components: Motor, Pump, Other Voltage: 220V Electric Decoiler, Electric Decoiler

Support and Services:

Our Auxiliary Equipment product is backed by our dedicated technical support and services team, who are available to help you with any questions or issues you may encounter. Our technical support includes: <u>Telephone support during business hours</u> <u>Online support via email or live chat</u> <u>On-site technical assistance and troubleshooting</u> <u>Product training and consultation services</u>

I.	In addition to technical support, we also offer a range of services to help you get the most out of your Auxiliary Equipment:
	Equipment installation and commissioning
	Regular maintenance and servicing
	Equipment upgrades and retrofits
	Equipment rental and leasing
	Our goal is to provide you with the highest level of support and service to ensure that your Auxiliary Equipment operates at peak
	performance, maximizing your productivity and minimizing downtime.
	Maxwell Hangzhou Maxwell Machinery Equipment Manufacturing Co., Ltd
	0086-19560190257 Sinfo@hzmaxwellmachine.com Sinfo@hzmaxwellmachine.com

Building 2, No.6, Zhuluo East Road, Linpu Town, Xiaoshan District, Hangzhou City, Zhejiang Province