0.3-0.8mm Rolling Thickness BMS-1250 Floor Decking and Wall Panel Doble Layer Roll Forming Machine for Your Business

Basic Information

- Brand Name:
- Certification: CE,ISO9001
- Minimum Order 1 Set
 Quantity:
- Packaging Details: Nude Packing In A 40 Feet Container

Hangzhou Maxwell

- Delivery Time: 60 Workdays
- Payment Terms: T/T;L/C
- Supply Ability: 30 Set Per Mon



Our Product Introduction



Model:	BMS-1250
 Forming Method: 	Roll Forming
 Rolling Thickness: 	0.3-0.8mm
Material:	Galvanized Steel
Roller Material:	Cr12
Production Speed:	30-45 Meters Per Minute(as Your Require)
Power:	7.5kW
Cutting Tolerance:	±2mm

Product Description:

The Metal Sheet Roll Forming Machine is a state-of-the-art equipment designed to meet the demanding needs of the roofing industry. With cutting-edge features and robust construction, this machine ensures precise and efficient production of metal sheets for various applications.

One of the key highlights of this machine is its cutting type, which utilizes Servo Tracking Cutting technology. This advanced cutting system enables accurate and clean cutting of metal sheets, providing a high level of precision and efficiency in the manufacturing process.

The main frame material of this Metal Sheet Roll Forming Machine is constructed from 350H Steel, known for its strength and durability. This ensures the machine's stability and reliability, even under heavy workloads, allowing for continuous and long-lasting operation. When it comes to rolling thickness, this machine offers a versatile range of 0.3-0.8mm, making it suitable for a wide variety of metal sheet production requirements. Whether you need thin or thick sheets, this machine can handle different thickness levels with ease and consistency.

With a production speed ranging from 30 to 45 meters per minute, the Metal Sheet Roll Forming Machine provides flexibility to meet your specific production demands. Whether you require faster output for large orders or slower speed for intricate designs, this machine can be adjusted accordingly to optimize productivity.

Furthermore, the cutting tolerance of this machine is set at ±2mm, ensuring precise and uniform cutting of metal sheets. This level of accuracy is crucial for achieving high-quality finished products that meet industry standards and customer expectations.

In conclusion, the Metal Sheet Roll Forming Machine is a reliable and efficient solution for producing metal sheets with precision and consistency. Its advanced features, sturdy construction, and versatile capabilities make it an ideal choice for businesses looking to enhance their manufacturing processes and deliver top-notch products to their customers.

Production Speed	30-45 Meters Per Minute
Thickness	0.3-0.8mm
Tile Туре	Colored Glazed Steel
Roller Material	Cr12
Forming Method	Roll Forming
Model	BMS-1250
Roller Stations	13
Power	7.5kW
Cutting Tolerance	±2mm
Rolling Thickness	0.3-0.8mm

Technical Parameters:

Applications:

The Hangzhou Maxwell Metal Sheet Roll Forming Machine is a versatile equipment designed for various product application occasions and scenarios. With its robust construction and efficient performance, this machine is ideal for producing a wide range of metal sheet products.

One of the key applications for this roll forming machine is the production of Glazed tile and corrugated panel. The machine's precision engineering and roller stations allow for the accurate shaping and forming of metal sheets, resulting in high-quality finished products. Whether for residential or commercial buildings, the Glazed tile and corrugated panel Roll Forming Machine delivers consistent results. Additionally, the Metal Sheet Roll Forming Machine is well-suited for manufacturing Floor Decking and Wall Panel. Its ability to work with galvanized steel material ranging from 0.3mm to 0.8mm in thickness makes it highly adaptable for different project requirements. The machine's Main Frame Material of 350H Steel ensures durability and stability during the forming process.

For more specialized applications, the Metal Sheet Roll Forming Machine can also be used for producing Double Layer Roll Forming Machine for Floor Decking and Wall Panel. This dual-layer capability enhances productivity and efficiency, making it a valuable asset for businesses looking to optimize their production processes.

As a certified product with CE and ISO9001 accreditation, customers can trust in the quality and reliability of the Hangzhou Maxwell Metal Sheet Roll Forming Machine. The minimum order quantity of 1 set and packaging details of Nude Packing in a 40 Feet Container offer convenience and flexibility for procurement.

With a delivery time of 60 workdays and payment terms including T/T and L/C, customers can expect timely fulfillment of orders. The machine's supply ability of 30 sets per month ensures consistent availability for businesses with varying production needs. Overall, the BMS-1250 Metal Sheet Roll Forming Machine by Hangzhou Maxwell is a top choice for manufacturers seeking a high-performance and versatile equipment for metal sheet forming applications.

Customization:

Product Customization Services for the Metal Sheet Roll Forming Machine: Brand Name: Hangzhou Maxwell Certification: CE, ISO9001 Minimum Order Quantity: 1 Set Packaging Details: Nude Packing In A 40 Feet Container Delivery Time: 60 Workdays Payment Terms: T/T; L/C Supply Ability: 30 Set Per Month Cutting Type: Servo Tracking Cutting Rolling Thickness: 0.3-0.8mm Tile Type: Colored Glazed Steel Cutting Tolerance: ±2mm Thickness: 0.3-0.8mm

Support and Services:

The Metal Sheet Roll Forming Machine product offers comprehensive Product Technical Support and Services to ensure optimal performance and user satisfaction. Our dedicated team of technical experts is available to provide assistance with machine setup, troubleshooting, and maintenance. Additionally, we offer training programs to help users maximize the capabilities of the machine and achieve their production goals.

Packing and Shipping:

Product Packaging:

The Metal Sheet Roll Forming Machine will be securely packed in a wooden crate to ensure safe transportation and delivery. Shipping:

We offer worldwide shipping for the Metal Sheet Roll Forming Machine. The product will be dispatched within 3-5 business days once the order is confirmed. Delivery times may vary depending on the destination.

FAQ:

- Q: What is the brand name of the Metal Sheet Roll Forming Machine?
- A: The brand name of the Metal Sheet Roll Forming Machine is Hangzhou Maxwell.
- Q: What certifications does the Metal Sheet Roll Forming Machine have?
- A: The Metal Sheet Roll Forming Machine is certified with CE and ISO9001.
- Q: What is the minimum order quantity for the Metal Sheet Roll Forming Machine?
- A: The minimum order quantity for the Metal Sheet Roll Forming Machine is 1 set.
- Q: How is the Metal Sheet Roll Forming Machine packaged for shipping?
- A: The Metal Sheet Roll Forming Machine is packaged in nude packing inside a 40 feet container.
- Q: What is the delivery time for the Metal Sheet Roll Forming Machine?
- A: The delivery time for the Metal Sheet Roll Forming Machine is 60 workdays.
- Q: What are the payment terms accepted for purchasing the Metal Sheet Roll Forming Machine?
- A: The accepted payment terms for the Metal Sheet Roll Forming Machine are T/T and L/C.
- Q: What is the supply ability of the Metal Sheet Roll Forming Machine?
- A: The Metal Sheet Roll Forming Machine has a supply ability of 30 sets per month.

Hangzhou Maxwell Machinery Equipment Manufacturing Co., Ltd

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure

 Image: Output of the second structure
 Image: Output of the second structure
 Image: Output of the second structure
 Image: O